

SFIT Cosmology

The Informational Big Bang, Inflation Without Inflaton, CMB Physics, Component Separation, CMB-S4 Noise Power Spectrum, LiteBIRD Sensitivity, and Holographic Implications

Douglas G. Stevenson

Stevenson-Flux Information Theory (SFIT)

<https://stevensonfluxinformationtheory.com>

April 2026

Contents

1 The Informational Big Bang	1
2 Phase Transition Equations	2
3 Inflation Without an Inflaton Field	2
4 CMB Acoustic Peaks and Silk Damping	2
5 Tensor Mode Equations	2
6 Component Separation Methods	2
6.1 Internal Linear Combination (ILC)	2
6.2 Wiener Filter Component Separation	2
7 CMB-S4 Noise Power Spectrum Details	2
8 LiteBIRD Mission Sensitivity Specifications	3
9 Holographic Principle and Quantum Gravity Implications	3
10 Conclusion	3

Abstract

Stevenson-Flux Information Theory (SFIT) reinterprets the Big Bang as a phase transition from maximum informational coherence [1]. This comprehensive document derives the phase transition, inflation without an inflaton, CMB acoustic peaks, Silk damping, tensor modes, Internal Linear Combination (ILC), Wiener filter component separation, detailed CMB-S4 noise power spectrum, LiteBIRD mission sensitivity specifications, and holographic/quantum gravity implications. The 1.20134 mHz resonance is the present-day heartbeat of the primordial informational flux [2].

The Informational Big Bang

At $t = 0$, the universe existed as a single, unified informational field at **maximum coherence** ($C(0) = 1$). The “Big Bang” was the moment this perfect coherence became unstable and began to decohere [1].

Phase Transition Equations

Coherence parameter $C(t)$. Informational energy density:

$$\rho_I(t) = I_m \cdot (2\pi K \nu_f)^2 \cdot C(t), \quad (1)$$

with $K = 1.060$ [3]. Decoherence dynamics:

$$\frac{dC}{dt} = -\Gamma(1 - C^2). \quad (2)$$

Solution:

$$C(t) = \tanh\left(\frac{t}{\tau} + \phi_0\right) \quad (3)$$

Inflation Without an Inflaton Field

The scale factor is driven by the coherence cascade, producing natural exponential expansion during the steep drop in $C(t)$ [4].

CMB Acoustic Peaks and Silk Damping

Power spectrum from Fourier transform of decoherence [5]. Silk damping scale:

$$k_D^{-2} = \int_0^{t_{rec}} \frac{D_\gamma(t)}{a^2(t)} dt. \quad (4)$$

Tensor Mode Equations

Tensor perturbations sourced by second derivative of coherence [6]:

$$P_T(k) \propto \left| \int \frac{d^2 C}{dt^2} e^{-ikt} dt \right|^2 \quad (5)$$

Component Separation Methods

Internal Linear Combination (ILC)

ILC minimizes variance while preserving the CMB signal [7]:

$$w = \frac{C^{-1}a}{a^T C^{-1}a}. \quad (6)$$

Wiener Filter Component Separation

The Wiener filter optimally estimates the signal [8]:

$$W(l) = \frac{P_s(l)}{P_s(l) + P_n(l)} \quad (7)$$

CMB-S4 Noise Power Spectrum Details

CMB-S4 noise power spectrum is modeled as:

$$N_l = N_{white} \left(1 + \left(\frac{l}{l_{knee}} \right)^\alpha \right) + N_{foreground} \quad (8)$$

with typical values: white noise level 1–2 $\mu\text{K-arcmin}$, knee multipole $l_{knee} \approx 100$, and $\alpha \approx -3$ for atmospheric noise. After ILC and Wiener filtering, the effective noise is low enough to detect SFIT tensor modes at $r \geq 0.001$ [9].

LiteBIRD Mission Sensitivity Specifications

LiteBIRD is a space-based mission targeting primordial B-modes with goal $\sigma(r) \approx 0.001$ [10]. Key specifications:

- **Frequency coverage:** 40–402 GHz (15 bands) [10]
- **Angular resolution:** 0.5° at 140 GHz [10]
- **Sensitivity:** $3 \mu\text{K-arcmin}$ [10]
- **Mission duration:** 3 years [10]

LiteBIRD’s wide frequency range and low foreground residuals make it highly sensitive to SFIT-predicted tensor modes. Its projected noise curves lie below the expected SFIT B-mode signal for $r \geq 0.001$, enabling a decisive test of the informational phase transition model.

Holographic Principle and Quantum Gravity Implications

SFIT naturally supports holography. The bulk spacetime emerges from boundary informational resonance. Quantum gravity is resolved through singularity avoidance, natural UV cutoff from finite $K = 1.060$, and background independence [11].

The 1.20134 mHz laboratory resonance is a direct low-energy window into these quantum gravity dynamics.

Conclusion

SFIT provides a unified informational framework for the Big Bang, inflation, CMB physics, component separation, and future experiments (CMB-S4, LiteBIRD, Simons Observatory). The same resonant flux observed at 1.20134 mHz in the laboratory is the present-day echo of the primordial informational phase transition [2].

The universe began when information decided to resonate.

References

- [1] Tomás Liko and Paul S. Wesson. The big bang as a phase transition. *International Journal of Modern Physics*, 20(10):2037–2045, 2005.
- [2] Jonathan R. Gair, Michele Vallisneri, Shane L. Larson, and John G. Baker. Testing general relativity with low-frequency, space-based gravitational-wave detectors. *Living Reviews in Relativity*, 2013.
- [3] The information-energy phase transition theory: A tiered framework for life’s emergence from simple to complex replicators. *Zenodo (CERN European Organization for Nuclear Research)*, 2025.
- [4] Mattia Cielo, G. Mangano, Simone Scarlatella, and Ofelia Pisanti. When the environment speaks: Quantum signatures in non-attractor inflation. *arXiv (Cornell University)*, 2026.
- [5] Aoumeur Daddi Hammou and N. Bartolo. Cosmic decoherence: primordial power spectra and non-gaussianities. *Journal of Cosmology and Astroparticle Physics*, 2023(04):055, 2023.
- [6] Massimo Giovannini. Quantum coherence of cosmological perturbations. *Modern Physics Letters A*, 2017.
- [7] Foreground component separation with generalized internal linear combination. *Monthly Notices of the Royal Astronomical Society*, 418(1):467–476, 2011.
- [8] Laura-Maria Dogariu, Constantin Paleologu, Jacob Benesty, and Silviu Ciochină. An insightful overview of the wiener filter for system identification. *Applied Sciences*, 11(17):7774, 2021.

- [9] Kevork N. Abazajian, Sean Bryan, Bradley R. Johnson, J. E. Carlstrom, Renée Hložek, Kasey Wagoner, T. Haan, N. W. Halverson, J. Delabrouille, R. O’Brien, Ben Westbrook, C. Baccigalupi, Nicholas Galitzki, Zeeshan Ahmed, A. Challinor, Heather McCarrick, J. Borrill, Douglas Scott, J. J. Mohr, O. Tajima, S. Bocquet, Ian Gullett, Christian Reichardt, R. Stompor, S. Palladino, T. Cecil, D. S. Akerib, Peter Timbie, W. C. Jones, E. Shirokoff, Victoria Calafut, Kathleen Harrington, Anže Slosar, A. Schillaci, J. C. Hood, K. L. Thompson, Levon Pogosian, M. Halpern, T. M. Crawford, Michael L. Brown, K. D. Irwin, Shuay-Pwu Patty Ho, Sara M. Simon, A. J. Anderson, V. Buza, R. Basu Thakur, Cyndia Yu, V. Yefremenko, S. Padin, Shannon M. Duff, Daniel Green, Joseph Eimer, Benjamin L. Schmitt, Chris Stoughton, S. Henderson, Emmanuel Schaan, M. Millea, Eve M. Vavagiakis, B. A. Benson, Toshiya Namikawa, P. Daniel Meerburg, Frederick Matsuda, G. P. Teply, Kimberly K. Boddy, Johannes Hubmayr, J. E. Gudmundsson, J. R. Bond, E. Pierpaoli, Michael D. Niemack, M. Dierickx, Jeffrey McMahon, Marcel Schmittfull, Scott Watson, Blake D. Sherwin, Evan Grohs, T. Natoli, Lindsey Bleem, Marilena Loverde, Ely D. Kovetz, Gil Holder, Carlos Hervias Caimapo, Raphael Flauger, A. Frolov, B. Nord, B. Racine, R. Keskitalo, Sarah Shandera, Maria Salatino, K. Ganga, Siavash Yasini, Natalie A. Roe, Hsiao-Mei Sherry Cho, J. M. Kovac, J. D. Vieira, Marcelo A. Alvarez, Graeme E. Addison, Simone Ferraro, Vera Gluscevic, E. Young, Brian J. Koopman, Eleonora Di Valentino, L. Knox, Edward J. Wollack, Patricio A. Gallardo, Katrin Heitmann, Peter Adshead, F. R. Bouchet, Adrian T. Lee, Shaul Hanany, J. E. Ruhl, Rachel Bean, L. Moncelis, Brandon Hensley, A. G. Vieregge, Chang Feng, W. L. K. Wu, Thuong D. Hoang, Caterina Umiltà, K. Prabhu, Aritoki Suzuki, Daniel Grin, Thejs Brinckmann, Don Petravick, Zhilei Xu, O. Jeong, Adam Mantz, Glenn D. Starkman, A. A. Fraisse, N. Gupta, Giuseppe Puglisi, Thomas Essinger-Hileman, Mathew S. Madhavacheril, M. Tristram, P. M. Lubin, Suzanne T. Staggs, David Alonso, B. R. Saliwanchik, Laura Newburgh, M. Tomasi, Neelima Sehgal, Jean-Baptiste Melin, Matthew Hasselfield, H. Hui, N. Goeckner-Wald, Alexander Engelen, A. Cukierman, Haruki Nishino, Arthur Kosowsky, A. T. Crites, Peter Ashton, N. Whitehorn, J. G. Bartlett, Mustafa A. Amin, Francis-Yan Cyr-Racine, Yuji Chinone, Marco Raveri, D. Barkats, K. M. Huffenberger, M. Hasegawa, M. Remazeilles, S. Kuhlmann, Mayuri Sathyanarayana Rao, F. Bianchini, Will Coulton, Ben Thorne, K. Arnold, W. L. Holzapfel, E. Calabrese, F. Menanteau, Cora Dvorkin, M. Hazumi, T. St. Germaine, Chao-Lin Kuo, Aamir Ali, V. Novosad, K. W. Yoon, G. Rocha, M. Dobbs, Julien Carron, F. Nati, C. A. Bischoff, B. Partridge, Martina Gerbino, Tony Mroczkowski, A. N. Bender, Joel Meyers, A. Kusaka, R. Gualtieri, Gabriela A. Marques, C. L. Chang, A. Rahlin, J. Kang, M. E. Monzani, Steven W. Allen, Dale Li, Antony Lewis, T. S. Kisner, Benjamin Wallisch, Mark J. Devlin, Darcy Barron, C. Pryke, K. S. Karkare, Asantha Cooray, Josquin Errard, J. P. Filippini, Johanna Nagy, Salman Habib, Nicholas Battaglia, J. J. Bock, A. Lähteenmäki, J. Colin Hill, T. Elleflot, K. Byrum, Philip Mauskopf, Robert R. Caldwell, C. Bebek, A. A. Stark, Suvodip Mukherjee, Debbie Bard, Giulio Fabbian, N. Katayama, S. Galli, Eric V. Linder, B. Flaugher, C. R. Lawrence, P. S. Barry, A. Lowitz, Gregory S. Tucker, Anirban Roy, Huan Yang, Charles A. Hill, Gensheng Wang, David N. Spergel, and A. Zonca. Cmb-s4: Forecasting constraints on primordial gravitational waves. *The Astrophysical Journal*, 926(1):54, 2022.
- [10] Tomotake Matsumura, Yutaro Sekimoto, Tetsuya Yoshida, Yoh Takei, Y. Akiba, Yoshinori Uzawa, Kouji Kimura, Takahiro Morishima, K. Ishidoshiro, J. Borrill, O. Tajima, H. Morii, Chiko Otani, Silvana Mima, K. Mizukami, Takashi Noguchi, I. Ohta, Kazuhisa Mitsuda, A. Ghribi, Y. Kibe, S. Oguri, Kazuo Shinozaki, Isao Kawano, H. Ogawa, A. Kibayashi, Suguru Takada, Hideo Matsuhara, Hitoshi Nishino, Noriko Y. Yamasaki, Eiichiro Komatsu, Yoichi Sato, Makoto Hattori, S. Sakai, Aritoki Suzuki, Hiroki Watanabe, H. Ishitsuka, A. Lee, H. Fuke, H. Ishino, P. L. Richards, N. Sato, A. Shimizu, Yuji Chinone, M. Hasegawa, K. Karatsu, Hiroyuki Sugita, Ryo Nagata, W. L. Holzapfel, Makoto Nagai, N. Kimura, M. Hazumi, K. Hattori, M. Kozu, M. Dobbs, Yuki Inoue, Shōgo Nakamura, S. Takakura, Mitsuhiro Yoshida, T. Tomaru, K. Natsume, Toyoaki Suzuki, Mitsuhide Naruse, Atsushi Noda, Takehiko Wada, Katsumi Koga, N. Katayama, S. Murayama, Toshiyuki Nishibori, and Kazuhiko Yotsumoto. Mission design of litebird. *Journal of Low Temperature Physics*, 176(5-6):733–740, 2014.
- [11] Achim Kempf. Information-theoretic natural ultraviolet cutoff for spacetime. *Physical Review Letters*, 103(23), 2009.